



**CKK NAIR CONTAINERS**

Manufacturer of Steel Drums & Barrels

**PRODUCT**

# **CATALOGUE**

**RIGID SOLUTIONS FOR  
PACKAGING**



# State of the Art Metal Packaging Solutions for every Industry.

Steel drums are the most widely used industrial package in the world. With consistent strength, durability, and safety, Steel Drums offer the most versatile industrial packaging solutions for the shipment and storage of goods.

At CKK Nair Containers we offer a sustainable and affordable packaging solutions that assure our containers meet or exceed customer expectations.

As a manufacturer with an ISO 9001:2015 registered quality management system, CKK Nair Containers produces the highest-quality mild steel drums for businesses and government agencies with demanding and stringent needs.

We support various industry needs from Paints To Chemicals to Petroleum to Food and others who require metal containers. Count on our unrivaled expertise, wealth of information, willingness to meet challenges that others won't, ISO 9001:2015 certification, and our quality programs to afford you the utmost confidence with the incomparable steel drum range of protection.

## TIGHT HEAD BARRELS

Generally used to fill liquids, petroleum, perfumes, chemicals etc

---

# 210

litre tight head  
barrel 18 kg

Thickness: 20 swg  
External Height: 88 cm  
Internal Height: 84 cm  
Outer Diameter: 57 cm  
Weight: 18 kg  
Mouth: 2 " and 3/4 " (for 50- and 20 mm closures)



---

# 210

litre tight head  
barrel 22 kg

Thickness: 18 swg  
External Height: 88 cm  
Internal Height: 84.4 cm  
Outer Diameter: 57.1 cm  
Weight: 22 kg  
Mouth: 2 and 3/4 inch bungs with  
cap seal



---

# 165

litre bitumen  
drum

Thickness: 24 swg  
External Height: 88 cm  
Internal Height: 85 cm  
Outer Diameter: 50 cm  
Weight: 9.3 kg  
Mouth: 7 inch opening with lid



---

# 100

litre  
drum

Thickness: 24 or 26 swg  
External Height: 72 cm  
Internal Height: 70 cm  
Outer Diameter: 46 cm  
Weight: 7.6 kg  
Mouth: 2 and 3/4 inch bungs with  
cap seal



---

# 50

litre  
drum

Thickness: 22 or 24 swg  
External Height: 58.55 cm  
Internal Height: 54.45 cm  
Outer Diameter: 35 cm  
Weight: 4.85 kg  
Mouth: 2 & 3/4 inch bungs  
with outer cap seals



---

# 30

litre  
drum

Thickness: 24 or 26 swg  
External Height: 55.2 cm  
Internal Height: 52.1 cm  
Outer Diameter: 28 cm  
Weight: 3 kg  
Mouth: 2 inch bungs with  
cap seal



---

# 25

litre  
drums

Thickness: 24 or 26 swg  
External Height: 45.3 cm  
Internal Height: 42.2 cm  
Outer Diameter: 28 cm  
Weight: 2.3 kg  
Mouth: 2 inch bungs with  
outer capseal



---

# 25

kg  
drum

Thickness: 24 or 26 swg  
External Height: 42 cm  
Internal Height: 38.9 cm  
Outer Diameter: 28 cm  
Weight: 2.4 kg  
Mouth: 7 inch closure with  
inner and outer lid



---

# 20

litre  
drums

Thickness: 24 or 26 swg  
External Height: 37.7 cm  
Internal Height: 34.6 cm  
Outer Diameter: 28 cm  
Weight: 1.9 kg  
Mouth: 4 inch closure with  
inner and outer lid



---

# 15

litre  
drums

Thickness: 24 or 26 swg  
External Height: 30.7 cm  
Internal Height: 27.6 cm  
Outer Diameter: 28 cm  
Weight: 1.5 kg  
Mouth: 4 inch closure with  
inner and outer lid



---

# 10

litre  
drums

Thickness: 24 or 26 swg  
External Height: 21.1 cm  
Internal Height: 18 cm  
Outer Diameter: 28 cm  
Weight: 1.3 kg  
Mouth: 4 inch closure with  
inner and outer lid





ISO 9001:2015

"OUR  
STREAMLINED  
OPERATIONS  
ENABLE US  
TO DELIVER  
HIGH QUALITY  
DRUMS & BARRELS  
ON TIME  
EVERYTIME."

# OPEN TOP BARRELS

---

## 210

litre  
barrel

Thickness: 18, 20 and 22 swg  
External Height: 87.8 cm  
Internal Height: 85 cm  
Outer Diameter: 57 cm  
Weight: 16, 18, 20 and 22 kg  
Mouth: Open top with locking ring  
and nut bolt attachment and lever  
type attachment.



16 kg



18 kg



20 kg



22 kg

## 100

litre  
barrel

Thickness: 24 or 26 swg  
External Height: 72 cm  
Internal Height: 70 cm  
Outer Diameter: 46 cm  
Weight: 7.6 kg  
Mouth: Full open with GI lever  
type/nut bolt type locking ring



## 60

litre  
drum

Thickness: 22 or 24 swg  
External Height: 55.1 cm  
Internal Height: 52.9 cm  
Outer Diameter: 35 cm  
Weight: 5.8 kg  
Mouth: Full open with GI lever  
type/nut bolt type  
locking ring



## 50

litre  
drum

Thickness: 24 swg  
External Height: 50 cm  
Internal Height: 47.8 cm  
Outer Diameter: 35 cm  
Weight: 5.6 kg  
Mouth: Full open with GI lever  
type/nut bolt type locking ring



## 25

litre  
drum

Thickness: 24 or 26 swg  
External Height: 45.3 cm  
Internal Height: 42.2 cm  
Outer Diameter: 28 cm  
Weight: 2.3 kg  
Mouth: Full open with GI lever  
type/nut bolt type locking ring



---

# 20

litre  
drum

Thickness: 24 or 26 swg  
External Height: 30.7 cm  
Internal Height: 27.6 cm  
Outer Diameter: 28 cm  
Weight: 2 kg  
Mouth: Full open with GI lever  
type/nut bolt type locking ring



# 10

litre  
drum

Thickness: 24 or 26 swg  
External Height: 21.1 cm  
Internal Height: 18 cm  
Outer Diameter: 28 cm  
Weight: 1.3 kg  
Mouth: Full open with GI lever  
type/nut bolt type locking ring



---

## Epi/Lacquer Coated

Specially coated and baked  
internally with phenolic  
or pigmented lacquer for  
filling food grade products



---

## Closures

We also make closures suitable for various mouth sizes

- a. 1 3/4" outer cap
- b. 1 3/4" inner seal
- c. 4" outer cap seal
- d. 4" inner lid
- e. Zinc coated 2" bung closures
- f. 7" lid
- g. 2" bung closure
- h. Epi coated 2" bung closures
- i. 2" outer capseal
- j. 3/4" bung
- k. 63mm sprout closure
- l. Pullout closure
- m. 7" closure with inner and outer lid
- n. 1 3/4" closure fitted to top





## **CKK NAIR CONTAINERS**

Manufacturer of Steel Drums & Barrels

Plot No: 36B, 37A, 37B, Major Industrial Estate,  
South Kalamassery, Kochi 683 104, Kerala, India

**Phone:** +91 484 2532 242

**Mobile:** +91 98460 32242

**E-mail:** [steelbarrels@gmail.com](mailto:steelbarrels@gmail.com)

**Website:** [www.cnobarrels.in](http://www.cnobarrels.in)